



Bulk Actions and User Upload User Guide

August 2023






Table of Contents

Document Versions	3
Introduction	
Bulk Actions	
Complete Template	
Download Template	
Complete Bulk Actions Upload	
User Upload	
Complete Template	
Download Template	
Complete User Upload	<u>S</u>
Error Handling	15
Bulk Actions Errors	
User Upload Errors	16



Document Versions

Version	Impacts	Date	Owner
MAG 7.0	 Self-Registration New Organization Adoption Invitation registration process Dashboard Purchasing Credentialing Activation Authentication 	February 2021	Beena Nair
MAG 7.6	 Improved bulk actions for users (add/delete/subscribe/reactivate/suspend) View Bulk Load Validation process (visible success/failed uploads) New BETA Bulk Upload Excel files (.csv) 	August 2023	Sam Boateng



<u>Introduction</u>

Bulk Actions and User Upload allows Organization Administrators and Organization Stewards to perform user actions in bulk. This guides provides instructions on how to use the Bulk Actions and User Upload tabs in Exostar's Managed Access Gateway (MAG).

Bulk Actions

The CSV Bulk Actions option can be used to delete, suspend, or unsuspend multiple MAG accounts and applications at one time. Users who have singular or multiple accounts can be deleted, suspended or unsuspended. Additionally, singular or multiple applications can be suspended or deleted at one time via input from a CSV file you create, based on the template provided in this document that you upload into MAG.

Bulk Requirements/Limitations

- Max file size is 4 MB
- Number of rows must not exceed 10,000 (only 10,000 users per upload)
- Please make sure the file contains only one sheet.
- Number of columns must not exceed 50 (admin can include other columns in request, these additional columns will not be used but passed back in the response)
- *Instead of the state and country columns, the admin will fill out a Region Code column where the admin will provide an ISO 3166-2 standard region code.
 https://en.wikipedia.org/wiki/ISO 3166-2 OR https://en.wikipedia.org/wiki/ISO 3166-2 OR https://www.iso.org/obp/ui/en/#search
 - Examples: Virginia: US-VA, Puerto Rico: US-PR, Texas: US-TX, New York: US-NY, Bavaria: DE-BY
- When using Excel to upload data, be aware that by default Excel strips leading zeros from a number. This can have unintended effects, especially for phone numbers or postal codes. End users need to be aware of this. To avoid this lossy conversion, the user should format the cells as Text, or put a ' (single quote) in front of the number, etc.
- Results download: On the results download (successes and failures), the following columns will be added to the file's furthest left: the Item Number, Status, Reject Reason, Created User Entity, and the User ID. The reject reason will help communicate what is wrong with the user data.
- Running jobs will have a status of processing and completed jobs will have a status of pending.
- Duplicate users with the same email will not be permitted.
- Please remove any dummy user data provided in the template as it exists only to provide an example of what is accepted.

Complete Template

The CSV file must have the following fields populated. Definitions of these fields are included in the table.



Field	Cardinality/ Values
UserID	Required
Role	Optional

Download Template

Follow the instructions to complete template download.

- 1. Go to the Training Resources page to download the Bulk Actions template.
- 2. Download the template to create your file. *Do not modify any formatting, field locations, or field titles.
- 3. Once you enter your data, the file must be saved as a .CSV for the upload functionality to work.
- 4. Save the file to your computer.

The total number of users that can be uploaded at a time is configurable. The default value is 200. If you try to upload more than the configured number of users in a single csv file, you receive an error message.

Complete Bulk Actions Upload

Follow the steps below to complete the **Bulk Actions** upload:

Organization Administrators:

- 1. Navigate to the **Administration** tab.
- 2. Click Bulk Actions.




Organization Stewards:

- 1. Navigate to the **Stewardship** tab. Click **View Organizations**.
- 2. Search for the organization and select the organization from the displayed list.
- 3. Select Bulk Actions.






4. Organization Administrators and Organization Stewards are presented with the **Bulk Actions** page.




- 5. To upload the CSV file you created, click **Browse for CSV.** Select the CSV file from your computer.
- 6. Once the upload is complete, the file name displays in the File Selected field.



7. Choose the desired action.

NOTE: If you select the following actions **Subscribe/Suspend/Reactivate/Delete Application**, or **Suspend/Reactivate/Delete MAG Account**, a list of applications will display. Select the applications.



NOTE: Sponsor Code field is optional.

- 8. Click Validate to the data you entered. The system presents any errors or warnings.
- 9. If there are errors preventing your file from processing, correct them. Follow the guidelines in the <u>Bulk Actions Error Handling</u> section for assistance. Click the **Export to CSV** button to export the errors for reference (optional).





Error Example: User ID is not unique. To resolve, remove the user from the file.

The exported file contains:

• Line Number: Line number in the file.

• Name: Name of the user.

• **Email**: User's email address.

• User ID: User ID/UPN of the user.

• Status: Status of the upload; either SUCCESS or FAILURE.

• Reason: Failure reason.

NOTE: If you enter data the system does not recognize, such as entering UK instead of GB in the country column, your file will contain no data.

- 10. If you have errors, correct them in your original CSV file. You should not upload the exported CSV file.
- 11. Click **Commit** to submit the file.
- 12. An **Acknowledgement** page displays with the results. View the results from the file by clicking **Export to CSV**.



The process is complete. Any application subscriptions require approval by your organization's Application Administrator. The Application Administrator can approve or deny requests they are the administrator for.

<u>User Upload</u>

The CSV User Upload feature can be used to add multiple users to your organization. The feature uses input from a file you create based on the CSV User Upload template.

Complete Template

The CSV file needs to have the following fields populated:



Field	Cardinality/ Values	Response/Comments
Last Name	Required Max 32 characters	Accepts letters, numbers and special characters.
First Name	Required Max 32 characters	Accepts letters, numbers and special characters
Middle Name	Optional Max 32 characters	Accepts letters, numbers and special characters.
Suffix	Optional Max 4 characters	Accepts letters, numbers and special characters. If entered value does not match one of the following options: II, III, IV, V, VI, VII, VIII, Jr., or Sr., the system saves it as an 'Other' value.
Honorifics	Optional	Accepts only the following the characters: Dr., Miss, Mr., Mrs., Ms, Prof., Sir, and (no characters entered).
Job Title	Optional Max 50 characters	Accepts letters, numbers and special characters.
Email Address	Required RFC822 compliant	Must be unique.
Phone	Required Min 4 characters Max 20 characters	Accepts only the following characters: Numbers, '-', '+', '.', '(', ')', 'e', 't', 'x' and embedded white spaces.
Fax	Optional Min 4 characters Max 20 characters	Accepts only the following characters: Numbers, '-', '+', '.', '(', ')', 'e', 't', 'x' and embedded white spaces.
Address 1	Required Max 64 characters	Accepts letters, numbers and special characters.
Address 2	Optional Max 64 characters	Accepts letters, numbers and special characters.
City	Required Max 52 characters	Accepts letters, numbers and special characters.
Region code (ISO 3166-2)	Required	Instead of State/Country > use ISO 3166-2 standard region code. https://en.wikipedia.org/wiki/ISO_3166-2 https://www.iso.org/obp/ui/en/#search (i.e.: Virginia: US-VA, Puerto Rico: US-PR, Texas: US-TX, Bavaria: DE-BY)



Role	Required	Accepts only the following values: user, org_admin, app_admin, and bundle_admin.
R-IDP User ID (New users only)	Optional	 R-IDP User ID must be unique for the associated R-IDP. Organization must be associated to an R-IDP. Minimum 1 character required if value is entered.
Employee Reference	Optional Max 16 characters	Accepts letters, numbers and special characters.

Download Template

Follow the instructions to complete template download:

- 1. Go to the Training Resources page to download the template.
- 2. Download the template to create your file. Do not modify any formatting, field locations, or field titles.
- Once you enter your data, the file must be saved as a .CSV for the upload functionality to work.
- 4. Save the file to your computer.

NOTE: The total number of users that can be uploaded at a time is configurable. The default value is 200. If you try to upload more than the configured number of users in a single csv file, you receive an error message.

Complete User Upload

Follow the steps below to complete the **User Upload**:

Organization Administrators:

- 1. Navigate to the **Administration** tab.
- 2. Click User Upload.




Organization Stewards:

- 1. Navigate to the **Stewardship** tab and click **View Organizations**.
- 2. Search for the organization and select the organization from the displayed list.
- 3. Select **Upload Users**.






4. The **User Upload** actions page displays.



- 5. To upload the CSV file you created, click **Browse for CSV.** Select the CSV file from your computer.
- 6. Once the upload is complete, the file name displays in the File Selected field.



7. Select the desired applications.



NOTE: Sponsor code field is optional.



8. Click Validate to analyze the data you entered and display any errors or warnings.



9. If there are errors preventing your file from processing, correct them. Follow the guidelines in the <u>User Upload Error Handling</u> section of this guide for assistance. Click the **Export to CSV** button to export the errors for reference (optional).



The exported file contains:

- Line Number: Line number in the file.
- Name: Name of the user.
- Email: User's email address.
- User ID: User ID/UPN of the user.
- Status: Status of the upload; either SUCCESS or FAILURE.
- Reason: Failure reason.

NOTE: If you enter data the system does not recognize, such as entering UK instead of GB in the country column, your file will contain no data.

- 10. If you have errors, correct them in your original CSV file. You should not upload the exported CSV file.
- 11. Click Commit to submit the file.
- 12. An **Acknowledgement** page displays the results. View the results from the file by clicking the **Export to CSV**.



The process is complete. Any application subscriptions require approval by your organization's Application Administrator. The Application Administrator can approve or deny requests for applications they administer.



BETA Bulk Uploads

To use BETA Bulk Uploads, follow the steps below:


1. As an **Organization Administrator**, from your Administration tab, select the **Bulk Actions Beta** sub-tab.



2. If you manage multiple organizations, as an **Organization Steward**, under the **Organization Details** tab, click **Bulk Actions Beta** link.




- 3. You will be redirected to the **Bulk Jobs Board** page.
- 4. The user begins a new action to upload users by clicking on the **BEGIN A BULK JOB** drop-down and selecting Upload Users.




5. You will see a page display to download the **template file** (*CSV* or *Excel* workbook), as well as select the applications they want to subscribe the new users to.






- Download the template, then fill out the fields as required. Save your file to your computer.
- 7. Then click **BROWSE** to upload the file. Once a valid file is uploaded the admin can click on the Green **APPLY BULK ACTION** button to begin processing the file.




8. You will be redirected to the dashboard where you can monitor the status of your action or carry out a new action which is added to the queue (asynchronous process).






9. If you run into any errors, a message will display informing you the file is checked and if the right number of required columns exist, the file size matches requirements, etc. You must correct any errors in the file before you can proceed with the bulk upload.




10. After you correct any errors and re-upload the file, you can check the status on the Bulk **Jobs Board**.






11. Once the upload is complete, the Admin can view how many users in the file were successfully added and how many failed. You can also download a file of all successful users or all failed users to be corrected and re-uploaded.

Bulk Upload Success



Bulk Upload Failed



If the bulk upload failed, repeat the steps above to correct the errors and re-upload to begin the bulk upload process again.

Error Handling

This section includes error you might receive when completing the upload process for Bulk Actions and User Upload.

Bulk Actions Errors

The upload utility has features built in to help resolve data formatting issues. Use the below table to understand and resolve issues during file validation.

Validation Message Error Condition



User: Unauthorized action. User subscription	Suspend an application for the user whose
to the application <appname> is not active.</appname>	subscription to the application is not active.
Cannot suspend or unsuspend or delete	
selected application for user <userid>.</userid>	
User: MAG account for the user <userid> was</userid>	Suspend or unsuspend application for users
suspended. Cannot suspend or unsuspend or	whose MAG account is suspended.
delete application.	
User: User ID Not Found	Organization Administrator can perform bulk
	upload on the users belonging to his
	organization only. If a user not belonging to
	his organization is in upload file.
User: Unauthorized action. User subscription	Unsuspend an application for a user with
to the application is not eligible to unsuspend	status other than "SUSPEND"
Application: No application was selected.	Suspend or activate an application without
	selecting an application
User: Unauthorized action. MAG account	Trying to unsuspend MAG account for a user
status for the user <userid> is DEFERRED.</userid>	whose MAG account status is DEFERRED.
User: User account <userid> is already active.</userid>	Trying to unsuspend MAG account for a user
	whose MAG account is already enabled.
User: Unauthorized action. MAG account	Trying to unsuspend MAG account for a user
status for the user <userid> is NASCENT-</userid>	whose MAG account status is NASCENT.
Pending First Logon.	
User: User account <userid> was already</userid>	Message should be displayed on trying to
suspended.	suspend MAG account for a user whose MAG
	account is already suspended
User: User ID Not Found	Once a MAG account is deleted for a user no
	further upload action is allowed on that
	account. Warning displays on trying to
	perform any action for a user having MAG
	account status as DELETED.

User Upload Errors

The upload utility has features built in to help resolve data formatting issues. Use the table below to help understand and resolve issues occurring during file validation.

Error Condition	Validation Message
Required field is missing from the file	<column name=""> is required.</column>



Data in field is too long	<column name=""> is too long.</column>
Data in field is invalid.	<column name=""> is not valid.</column>
Organization is subscribed to application bundle and application being requested is flagged as bundle only	User cannot be subscribed to <application name="">.</application>
Both a password and a R-IDP ID are present in the file	Either User Password or Remote User ID may be set, but not both
R-IDP ID is not unique within the organization's R-IDP.	This remote account is already linked to another MAG account
Organization is not subscribed to an R-IDP but file contains R-IDP User ID and no password for a user	This organization is not enabled for EAG.
Email Address already exists for user in organization	An account is already created for this email address in this organization, or more than one user with the same email address found in the file. Note: Not an error, just an additional message.
Account is a child account and FIS is being requests	This account is not eligible for FIS because it is a child account.
User is already subscribed to the application	User is already subscribed to <application name="">.</application>
User is already an application administrator for an application	User is already an application administrator for <application name="">.</application>